

# UNIVERSITY of DUBUQUE





# John and Alice Butler Hall

# **Technical Rider**

Revised July 2022

### HERITAGE CENTER STAFF

Thomas J. Robbins	Executive Director Office: 563-589-3325 E-Mail: <u>TRobbins@dbq.edu</u>
Randy Schultz	<b>Technical Director</b> Office - 563-589-3580 Cell - 262-224-2975 E-Mail: <u>RSchultz@dbq.edu</u>
Connor Manning	Assistant Technical Director Office - 563-589-3324 Cell – 563-564-2214 E-Mail: <u>CManning@dbq.edu</u>
Victoria Molle	Director of Audience Services Office – 563-589-3432 E-Mail: <u>VMolle@dbq.edu</u>
Korissa Clark	<b>Operations and Promotions Manager for Heritage Center</b> Office – 563-589-3325 E-Mail: <u>KClark@dbq.edu</u>

### **LOCATION**

University address:	2000 University Ave. Dubuque, IA 52001
Heritage Center address:	2255 Bennett St. Dubuque, IA 52001

### **BUILDING ACCESS / LOADING DOCK**

Building Main Entrance is located off of Bennett Street. Loading dock / stage door are on the West side of the building off of McCormick Street. For GPS directions to loading dock use address of house across the street – 877 McCormick Street The loading dock leveler is adjustable from 3 feet to 5 feet. 10' x 10' Garage Door Shore Power – 50 Amp NEMA 14-50R Typically, vehicles are not allowed to remain in the loading dock area once unloaded, there is parking available in University lots or on street parking.

Access code will be given upon arrival.





### **SEATING**

#### Pit

\_\_\_\_

Section 100 - ~50 free standing chairs

#### Main level

Section 101 – 53 Seats	(1 seat is removable for ADA seating)
	(1 seat is ADA accessible)
Section 102 – 191 Seats	(3 seats are removable for tech table
	(3 seats are removable for ADA seating)
	(2 seats are ADA accessible)
Section 103 - 53 Seats	(1 seat is removable for ADA seating)

#### Vineyard House Left


Section 104 - 89 Seats

#### Mezzanine


Section 105 - 112 Seats

<i>Vineyard House Right</i> Section 106 – 84 Seats	(1 seat is ADA accessible) (1 seat is removable for ADA seating)	
Palconu		
Balcony Section 201 - 45 Seats		
Section 202 - 57 Seats	(6 seats are removable for ADA seating) (2 seats are ADA accessible)	
Section 203 - 45 Seats		
Section 204 - 63 Seats		
Section 205 - 103 Seats		
Section 206 - 63 Seats		

### **MAIN FLOOR**



BALCONY



### **STAGE DIMENSIONS**

Dimension	Distance Imperial
Proscenium Width	52'-0"
Proscenium Height	27'-11″
Plaster Line to US Wall	39'-8″
Stage Width (SL Wall to Fly Rail)	89'-11″
Pit Line @ Onstage edge to US wall	49'-0"
Pit Line @ Downstage edge to US wall	60'-11″
Stage Deck to Grid	71'-1"
Deck to pin Rail SL	27'-8"
Deck to Pin Rail SR	27'-8"
Pin Rail to Pin Rail	70'-9"
Height of stage from main floor	3'-0"
Distance from Proscenium to last row balcony	98'-0"

### **RIGGING**

#### **Electrics**

The First Electric is on a motorized lineset The 2nd, 3rd, and 4th are double purchase linesets There are 4 grid drop boxes, 2 SL 2 SR with 4 Circuits each that can be added to any lineset

#### **Orchestra Shell**

3 Orchestra clouds are on motorized linesets, ETC Source Four Pars in each ceiling (575w)

#### General

All general purpose linesets are single purchase

#### **Spot rigging load limits**

Rigging Loft Beams - 300 pounds per linear foot Rigging Head Block Beams - 2500 pounds per linear foot Gridiron Surface – Will be addressed on an event by event basis, bridle rigging required in most cases. Pin Rail Pipe - 500 pounds per linear foot in an upward direction. Front of House Rigging Beam - 1000 pounds per linear foot. All fixed lighting positions (box booms, black box outriggers, ante-pros, balcony rails) - 25 pounds per linear foot.

#### Notes

- Walkable Grid over the fly tower
- Catwalk access to the 4 FOH positions, Box Booms, and follow spot booth
- Pin rail SR and SL for spot rigging accessible from the 3<sup>rd</sup> floor
- Fly operation is located at the stage level on the Stage Right side

#### **STAGE FLOOR**

The stage floor is rubber sleeper sprung covered with Masonite topped plywood painted satin black. The curved orchestra pit filler platforms manufactured by Staging Concepts, also topped with Masonite topped plywood painted black. Penetrations are not allowed in any locations.

### **SOFT GOODS**

Drape	Quantity	Material	Color	Finished Size Wide x Tall	Fullness	Top Finish	Bottom Finish
Main Curtain	2 pcs	"Majestic" 25oz	Copper	34'-6" x 35'-6"	100%	Webbing, grommets & snap hooks; 12" on center	Pocket & chain
Main Border	1	"Majestic" 25oz	Copper	69'-0" x 14'-0"	50%	Webbing, grommets & ties; 12" on center	Pocket & chain
Legs	8	Plateau IFR Velour	Black	12'-0" x 30'-6"	Flat	Webbing, grommets & ties; 12" on center	Pocket & chain
Borders	4	Plateau IFR Velour	Black	69'-0" x 12'-0"	Flat	Webbing, grommets & ties; 12" on center	Pocket & chain
Full Stage Black	1	Plateau IFR Velour	Black	69'-0" x 35' 6"	Flat	Webbing, grommets & ties; 12" on center	Pocket & chain
Cyclorama	1	Muslin / Seamless	White	69'-0" x 35' 6"	Flat	Webbing, grommets & ties; 12" on center	Pipe Pocket
Scrim	1	Sharktooth	Black	60'-0" x 35' 9"	Flat	Webbing, grommets & ties; 12" on center	Pipe Pocket

#### **PROJECTION**

Drape	Quantity	Quantity Material		Finished Size	Mounting	Portable	
			-				
Screen	1	Front Projection	White	22'-0" wide x 13-9" tall	Line Set Only	Yes (Line Set)	
Screen	1	Front Projection	White	14'-0"wide x 8'-0" tall	Line Set or Legs	Yes	

### **PROJECTION EQUIPMENT**

- 1 Christie D12WU-H Projector Mounted in Balcony Face. 12,000 Lumens
- 2 Crestron DM-TX-401-C Transmitter
- 1 Crestron TSW-1060 Touch Screen
- 1 Crestron SMPS3-4K-150 Presentation Switcher/Scaler

### **HOUSE ACOUSTIC TREATMENTS**

The house has concrete walls with wooden and sheetrock sound baffles. Adjustable acoustical curtains Located in multiple places in the house. House acoustic ceilings are not adjustable.

#### **ORCHESTRA SHELL**

Orchestra Shell comprised of 8 towers and 3 clouds. There are 3 preset positions for the orchestra shell depending on the size of performance The acoustical cloud panels can be opened or closed, but not removed. The acoustical cloud panels include lighting – ETC Source Four Pars, Wide, 575w See drawings at the end of the document.

### **ORCHESTRA PIT**

835 Square FeetPit Cover8'-4" From orchestra pit floor to stage floorWood floor, sprung, matching the stage floorElevator and stair access to orchestra pit

### **LINESET SCHEDULE**

				Distance from Plaster	Batten	Batten		Purchase		Out/Max		
Lineset	Suspension	House Rep Purpose	Show Purpose	Line	Length	Туре	Capacity	Line	In Trim	Trim	Weight	Notes
39'-8"			•								<b>v</b>	
FC	Manual	Fire Curtain										
1	Manual	Main Border		2'-5"	71'-0"	Single	1500	Single				
2	Manual	Main Curtain		3'-2"	71'-0"	Single	1500	Single				
3	Manual	General Purpose		3'-11"	71'-0"	Single	1500	Single				
4	Motorized	1st Electric		5'-5"	69'-0"	Double	2000	Motor				
5	Manual	General Purpose		6'-11″	71'-0"	Single	1500	Single				
6	Manual	General Purpose		7'-8"	71'-0"	Single	1500	Single				
7	Motorized	Orchestra Cloud #1		8'-5"	71'-0"	Truss	4000	Motor				Permanent
8	Manual	General Purpose		9'-11"	71'-0"	Single	1500	Single				
9	Manual	General Purpose		10'-8"	71'-0"	Single	1500	Single				
10	Manual	2nd Electric		12'-2"	69'-0"	Double	2000	Double				
11	Manual	General Purpose		13'-5″	72'-0"	Single	1500	Single				
12	Manual	General Purpose		14'-2"	72'-0"	Single	1500	Single				
13	Manual	General Purpose		14'-11"	72'-0"	Single	1500	Single				
14	Manual	General Purpose		16'-10"	72'-0"	Single	1500	Single				
15	Manual	General Purpose		17'-6"	72'-0"	Single	1500	Single				
16	Manual	General Purpose		18'-1"	72'-0"	Single	1500	Single				
17	Manual	General Purpose		18'-7"	72'-0"	Single	1500	Single				
18	Motorized	Orchestra Cloud #2		20'-5"	71'-0"	Truss	4000	Motor				Permanent
19	Manual	General Purpose		21'-11"	71'-0"	Single	1500	Single				
20	Manual	General Purpose		22'-8"	71'-0"	Single	1500	Single				
21	Manual	3rd Electric		24'-2"	71'-0"	Double	2000	Double				
22	Manual	General Purpose		25'-4″	72'-0"	Single	1500	Single				
23	Manual	General Purpose		26'-0"	72'-0"	Single	1500	Single				
24	Manual	General Purpose		27'-2″	72'-0"	Single	1500	Single				
25	Manual	General Purpose		27'-10"	72'-0"	Single	1500	Single				
26	Manual	General Purpose		28'-6"	72'-0"	Single	1500	Single				
27	Manual	General Purpose		29'-5"	71'-0"	Single	1500	Single				
28	Manual	General Purpose		30'-2"	71'-0"	Single	1500	Single				
29		Future Location										
30	Motorized	Orchestra Cloud #3		32'-5"	66'-0"	Truss	4000	Motor				Permanent
31	Manual	4th Electric		33'-11"	66'-0"	Double	2000	Double				
32		Future Location										
33		Future Location										
34	Manual	General Purpose		36'-5"	66'-0"	Single	1500	Single				
35	Manual	General Purpose		37'-8"	66'-0"	Single	1500	Single				
36	Manual	Cyclorama		38'-5"	66'-0"	Single	1500	Single				

### LINESETS

<b>v</b>			
			· · ·
	Line Set 36 Line Set 35		38'-5" 37'-8"
	Line Set 35		37-0
	4th Electric 📼		221 441
			33-11
4 1		Orchestra Cloud 3	3:
[]			<b></b> 3
	Line Set 28		2
	Line Set 27 Line Set 26		
	Line Set 25		2
	Line Set 24		<u> </u>
	Line Set 23		_
	Line Set 22		2
i	3rd Electric		2
<u> </u>			2
	Line Set 20		2
	Line Set 19		<b>—</b> 2
		Orchestra Cloud 2	2
	Line Set 17		18
	Line Set 16		- 18
	Line Set 15		- 1
	Line Set 14		<b>—</b> 16
i			
	Line Set 13		<u> </u>
	Line Set 12		14 13
: I			
	2nd Electric		<b>—</b> 1:
<u>i</u>	Line Set 9		<b>—</b> 10
	Line Set 8		
2			
		Orchestra Cloud 1	8'
	Line Set 6		<u> </u>
	Line Set 5		- 6'
2	1st Electric		5
፼			
- Personal Person Perso	Line Set 3		3
	Main Curtain	<b></b>	3
	Main Border		Cound
61	Stage Manager		Sound Rack

### **ELECTRICAL**

#### **Company Switches**

Location	Description	Output	
Up Stage Left	LEX - Power Gate	100 Amp, 3 Phase, 208Y/120 VAC	16 series Cam-type receptacle and lug
Up Stage Left	LEX - Power Gate	200 Amp, 3 Phase, 208Y/120 VAC	16 series Cam-type receptacle and lug
Up Stage Left	LEX - Power Gate	400 Amp, 3 Phase, 208Y/120 VAC	16 series Cam-type receptacle and lug
Catwalk	LEX - Power Gate	200 Amp, 3 Phase, 208Y/120 VAC	16 series Cam-type receptacle and lug
1	Lex Power Pagoda	100 Amp	(15) 5-20 Duplex Recipticles
3	Lex 5-Wire #2	100 Amp – 50' with Camlock Ends	

### **LIGHTING**

#### **Dimming and control**

The lighting control system is an ETC Gio\*\*\* or ETC Ion w/2 x 20 fader wing\*\*\*

4 - ETC Sensor 3 dimmer racks.

ETC Paradigm Architectural/House Lighting System

- 2 IPads for Remote Focus Unit
- 6 Net3 ACN Gateways

### **House Lighting**

Full house light control can be accessed by the console or remote panels. Limited house lighting control can be accessed by button panels located by the entrances. These can be locked out during performances.

#### **Work Lighting**

Work lighting can be accessed through the stage managers rack, console or remote panels.

Instruments***	Follow Spot	Miscellaneous Accessories***
133 ETC Source 4 ERS Bodies, 750w	2 – Lycian 1275, 1200w	36 - "B" size Gobo holders (Source Four)
20 – 50° Lens Tube	-	27 – "A" size Gobo holders (Source Four)
41 – 36° Lens Tube		4 – "B" size Glass Gobo holders (Source Four)
40 – 26° Lens Tube		16 – Female Edison to Male Stage Pin
20 – 19° Lens Tube		6 – Male Edison to Female Stage Pin
14 – 14° Lens Tube		22 – Two-Fers – Stage Pin
20 – 10° Lens Tube		Multiple lengths of Cable – Stage Pin
99 – ETC Source 4 PAR, 750w (4 lense	s available)	8 – 13' Booms (Side Arms available)
6 – Altman 3 Cell Cyc Lights		11 – Top Hats 6.25"
15 – Chauvet Rogue RX2 Wash		8 – Top Hats 7.5"
		8 – Iris Units for Source Four Ellipsoidals
		6 – Color Extenders 7.5″
*** Items shared between Butler Hall a	nd Babka Theater	3 – Barn Doors for ETC PAR

### **Electrical Distribution/Lighting Positions**

Location	Dimme	r Circuits	Switch	ed 120v	Switched 208v		
Location	Quantity	Circuits	Quantity	Circuits	Qty	Circuits	
						All L6-20P	
Balcony Rail	14	197 – 210			2	551 – 552	
FOH 1	3	295 – 297					
FOH 2	24	241 - 264			4	561 - 564	
FOH 3	22	265 – 286			2	565 – 566	
FOH 4 SL	4	287 – 290			1	567*	
FOH 4 SR	4	291 – 294			1	568*	
Box Boom SL	9	223 – 231	1	528	1	527	
Box Boom SR	9	232 - 240	1	560	1	559	
Anti Pro SL	6	211 – 216	1	554	1	553	
Anti Pro SL	6	217 – 222	1	556	1	555	
1 <sup>st</sup> Electric	38	31 - 68	2	524T, 526T	2	523, 525	
2 <sup>nd</sup> Electric	34	69 – 102	2	528T, 530T	2	527, 529	
3 <sup>rd</sup> Electric	34	103 – 136	2	532T, 534T	2	531, 533	
4 <sup>th</sup> Electric	38	137 – 174			4	535 - 537	
SL Deck Level Proscenium	4	1 - 4			1	513	
SR Deck Level Proscenium	4	5 - 8			1	514	
USL Deck Level	3	9 - 11	1	516	1	515	
USC Deck Level	4	12 - 15	1	518	1	517	
USR Deck Level	3	16 - 18	1	520	1	519	
Grid Drop Box USL	4	179 - 182	1	542	1	541	
Grid Drop Box DSL	4	175 - 178	1	540	1	539	
Grid Drop Box USR	4	187 - 190	1	546	1	545	
Grid Drop Box DSR	4	183 - 186	1	544	1	543	
Orchestra Pit	6	191 - 196			1	538*	
Orchestra Cloud #1	11	298 - 308					
Orchestra Cloud #2	10	309 - 318					
Orchestra Cloud #3	9	319 - 327					
SL Pin Rail	6	19 - 24			1	521*	
SR Pin Rail	6	25 - 30			1	522*	

\* Doubled

T = L5-20P Twistlock Plug

All Switched 208v are L6-20P Twistlock Plugs

### **Electrical Distribution – ETC Connector Strips**

All circuits are 120VAC, 20A or 208Y/120VAC 20A Dimmable 120v = Stage Pin connectors Switched 120v = Edison, NEMA 5-15 straight and L5-20P Twistlock Switched 208v= L6-20P Twistlock Connectors

### AUDIO

### **Front of House**

Location of Equipment	Manufacturer	Model	Description	Inventory	Notes
FOH					
	Allen & Heath	iLive T112	Mixer	1	
	Allen & Heath	iDR-32	Remote DSP Engine	1	
	Allen & Heath	PL-10	Remote Fader Plate	2	

### Front of House PA, Power, & Speaker Processing

Type of Equipment	Manufacturer	Model	Notes	Main Hall Inventory
Speakers				
	EAW	AX396	L/C/R - bottom tier – Fixed Array	3
	EAW	AX364	L/R - top tier – Fixed Array	2
	EAW	AX122	Subwoofers – Fixed Array	2
	EAW	JF60z	Front Fill - Portable	8
	EV	ELX118P	Powered Subwoofer - Portable	2
Amplifiers				
	Crown	DCi 4-1250	4 output (Mains)	1
	QSC	CMX2000V	Center and Front Fills	1

# Monitor System – 8 Total Mixes Available

Type of Equipment	Manufacturer	Model	Notes	Main Hall Inventory
Amplifiers				
Permanent	QSC	CMX8000V	2 Amps with 2 Channels Each	4 Mixes
Portable***	QSC	RMX2450	2 Amps with 2 Channels Each	4 Mixes
Stage Monitor	~S***			
	EAW	VRM12	12" Monitor	4
	Yamaha	CM15V	15" Monitor	6
	Yamaha	CM12V	12" Monitor	2

\*\*\*Items shared between Butler Hall and Babka Theater

# Microphone/DI/Misc. \*\*\*

Qty	Manufacturer	Model	Notes
9	Shure	ULXD4-H50 534-538 MHz	Wireless Receiver
9	Shure	ULXD1	Body Pack Transmitter
9	Shure	ULXD2/58	Hand Held Transmitter
3	Shure	ULXP4-G3 470-506 MHz	Wireless Receiver
3	Shure	ULX	Body Pack Transmitter
3	Shure	ULX2/58	Hand Held Transmitter
2	Shure	WL184	Lavaliere Mic
10	Countryman	E6	Headset Mic
6	Shure	WCB6	Micro-Lavalier Mic
1	Shure	WB98H/C	Instrument Clip on, TA4F
1	Shure	WBH54T	Headworn Mic, TA4F
4	Shure	WA302	Instrument Cable, TA4F
7	Shure	SM58	
1	Shure	Beta 58A	
4	Shure	SM57	
1	Shure	87C (Capsule Only)	
2	Shure	Beta 57A	
6	Shure	SM81	Cardioid Condenser
1	Shure	Beta 52A	Kick Drum Mic
2	Shure	Beta 91A	Condenser Mic
7	Sennheiser	E604	Drum Mics
1	Shure	PGA 98H	Instrument Mic
3	Audio Technica	Pro 37	Cardioid Condenser
4	Audix	M1255B	Condenser – Choir Mic
7	Audio Technica	Pro 45	Condenser – Choir Mic
3	Countryman	Isomax 2-H	Hypercardiod Hanging Mic
1	Rode	NT4	
2	Rode	NT1	
6	Crown	PCC 160	Floor Mic
2	Whirlwind	PCDI	Stereo DI - Passive
6	Whirlwind	Director	DI Box – Passive
1	Whirlwind	Director 2	Dual DI box - Passive
4	Radial	PROD2	Stereo DI -Passive
1	Behringer	Ultra DI	DI Box - Active
2	ProCo	AV1A	AV DI Box - Passive

# Snakes / Cables\*\*\*

Manufacturer Model		Notes	Inventory
nakes***		•	•
Whirlwind	Split Snake	48 Channels w/10 Returns	1
Whirlwind	Mini 12 – 50'	12 Sends – XLRF (Box) to Fan XLRM	1
Whirlwind	Mini 6 – 50'	6 Sends – XLRF (Box) to Fan XLRM	2
Whirlwind	16 Channel Box -100'	16 Sends – XLRF (Box) to Fan XLRM	1
ProCo	Stagemaster – 100'	16 Sends – XLRF (Box) to Fan XLRM 4 Returns – XLRM (Box) to Fan ¼"	2
Multiple	5'-0" XLRF - XLRM	Mic Cable	5
Multiple	10'-0" XLRF - XLRM	Mic Cable	12
Multiple	15'-0" XLRF - XLRM	Mic Cable	17
Multiple	25'-0" XLRF - XLRM	Mic Cable	19
Multiple	50'-0" XLRF - XLRM	Mic Cable	29
Multiple	100'-0" XLRF - XLRM	Mic Cable	2
Multiple	10'- 0" Speakon - Speakon	Monitor Cable	4
Multiple	15' 0" Speakon - Speakon	Monitor Cable	8
Multiple	25'- 0" Speakon - Speakon	Monitor Cable	8
Multiple	50'- 0" Speakon - Speakon	Monitor Cable	10

\*\*\*Items shared between Butler Hall and Babka Theater

# Audio Input/Output Locations

Location	Mic Lines	Tie Lines	Speaker Lines	Ethernet	Video	Intercom
DSR Panel	1 - 12	9 - 12	1-4	1-6	1-2	ABCD
DSL Panel	13 - 24	13 - 20	5 - 8	7 – 10	44 – 47	ABCD
US Panel	25 – 28	21 - 24	9 - 12	11-14	3-7	ABCD
Orchestra Pit	29 - 40	25 - 28	13 - 16	15 - 18	8 - 9	ABCD
FOH 1	41 - 44	29 - 30	17 - 18	25 – 26	14 – 15	ABCD
Grid	45 - 48	39 - 40	27 - 28	35 - 36	24 - 25	ABCD
FOH 2	49 - 50	31 - 32	19 - 20	27 – 28	16 - 17	ABCD
FOH 3	51 – 52	33 - 34	21 - 22	29 – 30	18 – 19	ABCD
FOH 4 HL	53 - 54	35 - 36	23 - 24	31 – 32	20 - 21	ABCD
FOH 4 HR	55 - 56	37 - 38	25 - 26	33 – 34	22 – 23	ABCD
House Left - Vineyard			29			
House Right - Vineyard			30			
Follow Spot Booth		45 - 46			38 - 39	A B C D x 3
Backstage Corridor SL		43 - 44			36 - 37	ABCD
Backstage Corridor SR		41 - 42			34 – 35	ABCD
Stage Manager Panel SR					40 - 43	ABCD
Balcony Face				37 – 42	28 – 29	
Balcony Rear				46	32 - 33	
Balcony HL				43	26 - 27	
Balcony HR				45	30 - 31	
Projector Slot					56 - 60	
Control Room - Center		1 - 8		19 – 24	19 – 24	ABCD
Control Room - HR					48 - 51	ABCD
Tech Table					52 – 55	ABCD
Band Storage						ABCD
Equipment Storage						ABCD
Pin Rail SR						ABCD
Dimmer Room						ABCD
Loading Bridge						ABCD
Scene Shop						ABCD
Costume Shop						ABCD
Pin Rail SR						ABCD
Pin Rail SR						ABCD

### Intercom/ Paging System

#### **Components\*\*\***

Type of Equipment	Manufacturer	Model	Notes	Inventory
Main Station	Clear-Com	MS704	1 main station is portable	2
Remote Station	Clear-Com	RM704		2
Wired Belt Pack	Clear-Com	RS601		8
Double Muff Headset	Clear-Com	CC-60		2
Single Muff Headset	Clear-Com	CC-95		6
Gooseneck Mic	Clear-Com	GN18	For paging system	2
Handset	Clear-Com	HS-6		4
Wireless Base Station	Clear-com	HME DX210		1
Wireless Beltback	Clear-Com	BP210		4
Headset	Clear-Com	CC-15-MD4		5

Wired system works with wireless system.

#### Paging System\*\*\*

Integrated into the intercom system is the paging system. There is a monitor to each location, and each location has an independent volume control. The page mic is located stage right on the stage managers rack or in the control booth. The page mic will override the independent volume control in each room, but not the master switch.

#### Paging / Program Locations\*\*\*

Technical Production	Office Green Room	Butler Control Booth
Large Dressing Room	Dimmer Room	Corridor
Small Dressing Room	Instrument Storage	Costume Shop
Makeup Room	Follow Spot Booth	Black Box Control Room
Costume Shop	Stage Equipment Storage	Black Box Dimmer Room
Scene Shop	Loading Dock	Black Box Amp Room

### **Assisted Listening System**

House management maintains control of ALD receivers and distributes them upon request.

Type of Equipment	Manufacturer	Model	Notes	Main Hall Inventory
Assisted Lister	ning			
	Listen	LT-800-072	Transmitter	1
	Listen	LT-300-072	Receiver***	35
	Listen	LA-164	Ear Piece***	35
	Listen	LA-166	Neck Loop***	9

\*\*\* Items shared between Butler Hall and Babka Theater

### **MISCELLANEOUS**

### **Pipe Organ**

Dobson Organ Pipe Builders, Lake City Iowa

- Installed 2020
- Mechanical Action
- 3,033 Pipes
- 40 visible pipes on the façade house left are functional made of an alloy of 85% tin with the remainder being lead and some trace elements like copper and antimony to harden the metal.
- Majority of remaning 2,963 pipes are made of similar tin-lead alloys or wood and are located behind the façade house left with the remaining pipes above the proscenium and behind a wall house right. All pipes are located on the audience side of the proscenium.
- Smallest pipe is half the size of a pencil and the largest pipe is 32' long and roughly 650#
- Interior circular stair House Left allows the organist passage through the organ from the third floor, reaching the console through a concealed door in the façade woodwork.
- Console Platform is stage left and is 10'-9" above stage deck.
- 31,000 labor hours to build, install and voice over 20 months.
- Total weight of 21 tons in addition to 30,000 pounds of added structural steel for the new catwalk over the proscenium.
- Total height from platform to top of organ chamber is 52'

#### **Pianos**

- 1 Steinway & Sons Concert Grand Model D 9'-0"
- 1 Steinway & Sons Grand Model S 5'-1"
- 1 Yamaha C3 Grand 6'-1"
- 1 Yamaha GC1 Grand 5'-3"
- 1 Yamaha U1-Silent Upright
- 1 Yamaha P-125 Keyboard

#### Chairs / Music Stands\*\*\*

- 97 Wenger musician's chairs
- 50 Manhasset music stands
- 13 Music Stand lights

#### Staging\*\*\*

- 8 4'x8' Staging Concepts Stage Decks (Black Deck Finish)
- 60 3'-6' Staging Concepts Stage Decks (Black Deck Finish)
- 15 "Pie" pieces (different sizes)
- 44 8" Legs
- 72 14" Legs
- 44 16" Legs
- 44 24" Legs
- 72 28" Legs
- (4 legs needed for each deck)

### Other\*\*\*

- 6 30" Wood Backless Stools (Black)
- 5 30" Wood Backless Stools (Natural)
- 4 30" x 96" Plastic Prop Tables (More available upon request)
- 21 2 Channel Cable Ramps 40" x 10"

#### **Dance Floor**

Rosco Dance Floor 7 Rolls, 63"x 50'-0" 36'-9" Deep x 50'-0" Wide

#### Skirting for Staging\*\*\*

- 6 8" Tall x 8' Long 8 – 16" Tall x 8' Long
- a = 10 Tall x 8 Long
- 4 24" Tall x 8' Long

- 1 Clearsonic 5 Section Drum Shield 24" x 66"
- 2 Blizzard Atmosfear Tour HZ Hazer
- 1 20" Mirror ball with 3 RPM motor
- 2 Blizzard Showblind Strobe Lights

### **BACKSTAGE**

#### **Dressing Rooms**\*\*\*

2 Dressing Rooms with counters, mirrors, toilets, sinks and showers1 Makeup room located between the dressing rooms equipped with counters, mirrors, outlets, sinks, and mirror lights

### Laundry\*\*\*


2- Jiffy Steamer J-4000
2 - Iron
2 - Ironing Board
Washer and Dryer needs can be accommodated on campus with advance notice, No washer / dryer in Heritage Center

#### **Green Room\*\*\***


The Green Room is an open lounge located between the Babka Theatre and Butler Hall backstage.

\*\*\* Items shared between Butler Hall and Babka Theater

### **STAGE DIMENSIONS**




### **ORCHESTRA SHELL POSITIONS**




**Position 1** 

Position 2





**Position 3** 

### **FIRST FLOOR LAYOUT**



### **CROSS SECTION**











### Hotels (in alphabetical order, no recommendation implied)

Best Western Plus Dubuque Hotel & Conference Center 3100 Dodge St, Dubuque, IA	(563) 557-8000
Country Inn & Suites By Carlson Dubuque, IA 1315 Associates Dr, Dubuque, IA	(563) 583-2500
Days Inn Dubuque 1111 Dodge St, Dubuque, IA	(563) 583-3297
Grand Harbor Resort & Waterpark 350 Bell St, Dubuque, IA	(563) 690-4000
Hampton Inn Dubuque 3434 Dodge St, Dubuque, IA	(563) 690-2005
Hilton Garden Inn Dubuque Downtown 1801 Greyhound Park Rd, Dubuque, IA	(563) 585-5200
Holiday Inn Dubuque 450 Main Street Dubuque, IA 52001	(563) 556-2000
Hotel Julien Dubuque 200 Main St, Dubuque, IA	(563) 556-4200
Redstone Inn & Suites 504 Bluff St, Dubuque, IA	(563) 582-1894
Super 8 Dubuque/Galena Area 2730 Dodge St, Dubuque, IA	(563) 582-8898

### Medical (in alphabetical order, no recommendation implied)

Finley Hospital4 Miles	(563) 582-1881
350 N Grandview Ave, Dubuque, IA	
Mercy Hospital - 1.3 Miles	(563) 589-8000
250 Mercy Dr, Dubuque, IA	

Taxi (in alphabetical order, no recommendation implied)

#1 Green Cab	(563) 495-4444
A1 Taxi & Delivery Premier Services	(563) 582-1818
A Classy Taxi	(563) 495-7222
C M Cab Co	(563) 556-1303
E & R Taxi	(563) 564-9938
E-Z Taxi Service of Dubuque	(563) 582-3999
Starlight Mini Bus & Limousine	(563) 552-2028
Starlight Cab Co	(563) 556-6666

## Laundry/Drycleaners

Courtesy Cleaners 535 Hill St, Dubuque, IA	(563) 583-5332
Courtesy Cleaners 3398 Kennedy Cir, Dubuque, IA	(563) 583-3999
Premier Linen & Uniform 461 W 9th St, Dubuque, IA	(563) 583-9153